



AppStudio Interactive Development Environment (IDE)

The screenshot displays the AppStudio IDE interface. The central workspace shows a form titled 'form1' with the following elements:

- Two input fields labeled 'First Number' and 'Second number', each with a placeholder 'Enter number'.
- A label 'Total =' followed by an empty input field.
- Two buttons labeled 'Add' and 'Reset'.

The interface includes several panels:


- Toolbox:** Lists various widget categories, with 'Bootstrap 4' selected.
- Project Explorer:** Shows the project structure for 'form1', including labels (lblFirstNo, lblSecondNo, lblTotal) and input fields (txtFirstNo, txtSecondNo, txtTotal) with their respective Bootstrap classes (bs4).
- Properties:** Displays the design-time properties for the selected form, such as 'borderColor', 'borderStyle', 'borderWidth', 'designHeight', 'designWidth', 'height', 'left', 'top', 'width', and 'backgroundImage'.

Object ToolBox


The Object ToolBox is a panel that provides access to various widget categories. The categories listed are:

- Common
- Bootstrap 4** (highlighted)
- jqWidgets
- Date and Time
- Multimedia
- Finance & Social Media
- Bootstrap 3 (obsolete)
- jQuery Mobile (obsolete)


Object ToolBox - Expanded



Graphics – Code Switch



Project Objects & Object Names




Properties (styles) of Selected Object

Properties

left	40
right	auto
top	306
width	70
Common	
appearance	default
backgroundColor	
blockLevel	
ChangeForm	
class	nsbutton
color	
disabled	False
display	
events	
grouping	No
groupStyle	
hidden	False
icon	
iconTitle	
id	cmdAdd
outline	True
size	small
style	
toggleControl	

Select event & generate event code.
Example: onclick event.



Category:Language Reference

Pages in category "Language Reference"

The following 200 pages are in this category, out of 278 total.

([previous page](#)) ([next page](#))

A

- [Abs](#)
- [Adsense](#)
- [Ajax](#)
- [Alert \(Bootstrap\)](#)
- [And](#)
- [AppStorage](#)
- [Array](#)
- [Asc](#)
- [Atn](#)
- [Audio](#)

B

- [Body](#)
- [Breadcrumbs \(Bootstrap\)](#)
- [Button](#)
- [Button \(Bootstrap\)](#)
- [ButtonBar](#)

C


- [Calculation](#)
- [Call](#)

- [Imp](#)
- [IndexOf](#)
- [Input \(Bootstrap\)](#)
- [InputBox](#)
- [Instr/InstrRev](#)
- [Int](#)
- [Is \(function\)](#)
- [Is \(operator\)](#)

J

- [Javascript...End Javascript](#)
- [Join](#)
- [JqxButton](#)
- [JqxCalendar](#)
- [JqxChart](#)
- [JqxCheckBox](#)
- [JqxColorPicker](#)
- [JqxComboBox](#)
- [JqxDateTimeInput](#)
- [JqxDocking](#)
- [JqxDragDrop](#)
- [JqxDropDownList](#)

Testing an App



Code Function List

